



MAX PLANCK
digital library

PubMan Installation Developer Workshop PubMan Days 2010

Michael Franke (MPDL)



Except where otherwise noted, this work is licensed under
<http://creativecommons.org/licenses/by/3.0/de/>



PubMan Installer (1)


- Download:
http://archiva.mpdل.mpg.de/archiva/browse/de.mpg.escidoc.pubman/pubman_installer/6.1.2-SNAPSHOT
- Prerequisites:
 - eSciDoc Infrastructure Instance:
<http://dev-coreservice.mpdل.mpg.de>
 - Java 6 Development Kit:
<http://java.sun.com/javase/downloads/widget/jdk6.jsp>
 - PostgreSQL 8 Database:
<http://www.postgresql.org/download/>
 - Text Editor





PubMan Installer (2)

- Steps





Post Installation

- Check properties at
<JBOSS_HOME>/server/default/conf/pubman.properties
- Start up JBoss application server
<JBOSS_HOME>/bin/run[.bat|.sh]
- Open PubMan at
<http://localhost:8080/pubman/>
- Check startup log file at
<JBOSS_HOME>/server/default/log/server.log





Troubleshooting

- If JBoss runs out of memory,
 - Check and modify memory settings at
<JBOSS_HOME>/bin/run.conf or \$JAVA_OPTS
-Xmx1024m -XX:PermSize=256m
- If PubMan has trouble with character encoding,
 - Overwrite default encoding at
<JBOSS_HOME>/bin/run.conf or \$JAVA_OPTS
-Dfile.encoding=UTF-8

